



San Joaquin Geological Society

Date: THURSDAY, February 8, 2018

Time: 11:30 AM – 1:00 PM

Place: PETROLEUM CLUB OF BAKERSFIELD
5060 California Avenue
Bakersfield, CA 93309

PSAAPG Members
\$30 with reservation
\$35 without reservation

Non PSAAPG Members
\$30 with reservation

*** RSVP ***

**By: noon Wednesday,
February 7, 2018**

Register online:
<http://www.SanJoaquinGeologicalSociety.org/>

Pay online or at the door

SJGS WEBSITE

<http://www.SanJoaquinGeologicalSociety.org/>

SJGS OFFICERS

PRESIDENT

Cameron Campbell
DOGGR

Cameron.Campbell@conservation.ca.gov

VICE PRESIDENT

Matt Andresen
Aera

mandresen@aeraenergy.com

SECRETARY

Lindsey Thompson
EnviroTech Consultants,
Inc.

661-377-0073 x 17
lthompson@envirotechteam.com

TREASURER

Jennifer Prosser
EnviroTech Consultants,
Inc.

jprosser@envirotechteam.com

PRESIDENT-ELECT

Jonathan Goodell
California Resources Corp.
Jonathan.Goodell@crc.com

PAST-PRESIDENT

Greg Gordon
Aera
GSGordon@aeraenergy.com

Authigenic Quartz: The Good, The Bad, and the Ugly: Developing a Model for Preserving Porosity in Deep, Hot Sandstone Reservoirs

Presented by: Dr. Marsha French, *A J. Ben Carsey Distinguished Lecturer*, Colorado School of Mines

Abstract: Authigenic quartz overgrowths are the most common pore-occluding mineral in deeply buried (>2500 m) quartzose sandstones. But, deeply buried reservoirs of this kind in the North Sea contain more porosity than expected when the influence of authigenic microcrystalline quartz (microquartz, or the good quartz) is ignored. However, we know relatively little about the nature and origin of this porosity-preserving microquartz, which inhibits the bad and ugly quartz overgrowths from growing and occluding pores. Therefore, advanced analytical techniques have been utilized to improve our understanding of the controls on microquartz development in several examples where porosity is preserved in these and similar sandstone reservoirs.

In this study, several advanced analytical techniques were used to evaluate the crystallographic and compositional controls on the formation of microquartz. SEM/Cathodoluminescence (CL) confirms that (bad and ugly) quartz overgrowths have a complex growth history. Electron Backscatter Diffraction (EBSD) combined with Wavelength Dispersive Spectrometry (WDS) confirmed and elaborated on the complex growth history: the complex banding visible in CL is not due to changes in crystallographic orientation but more likely variations in quartz composition associated with changes in pore fluid composition and/or reservoir conditions. Finally, Secondary Ion Mass Spectrometry (SIMS) analysis provides oxygen isotope data providing insight into those initial reservoir conditions and temperature of formation of microcrystalline quartz.

Integrating the results from these advanced analytical techniques has developed an understanding of the processes controlling the formation of porosity-preserving microquartz and improved our ability to reconstruct the reservoir diagenetic history of microquartz growth leading to a proposed model for predicting porosity preservation in deep, hot sandstone reservoirs.

Biography: Marsha French is an associate research professor in geology at the Colorado School of Mines. She retired from ExxonMobil in October 2012 after 34 years as a senior research associate at ExxonMobil's Upstream Research Lab in Houston.

Her current research is focused on predicting porosity preserving microcrystalline quartz in high temperature reservoirs.

She holds a bachelor's degree in geology and a master's degree in geochemistry from the University of Wyoming, and a doctorate in geology from the University of Liverpool in England.